

## REMARKS

The Final Official Action dated December 1, 2004 has been received and its contents carefully noted. Claims 1 and 3-9 are pending, of which claims 1, 3, and 9 are independent. In view of the following remarks, reconsideration and allowance of the application is respectfully requested.

Filed concurrently herewith is a Request for a Three-Month Extension of Time which extends the shortened statutory period for response to June 1, 2005. Accordingly, Applicants respectfully submit that this response is being timely filed.

### Claims Rejection 35 U.S.C. § 103

Referring now to the Official Action and particularly pages 2-11 thereof, claims 1 and 3-9 have been rejected under 35 U.S.C. § 103(a) as allegedly being obvious over U.S. Patent No. 5,455,879 issued to Modavis, et al. ("Modavis"). Applicants respectfully traverse this rejection for at least the following reasons.

Claim 1 is allowable as it recites, *inter alia*,

wherein the tip of the optical fiber microlens is processed as a curved surface, in which the curved surface is a portion of an elliptical surface, and one major axis of the elliptical surface matches the central axis of the core.

Claim 3 is allowable as it recites, *inter alia*,

wherein the tip of the optical fiber microlens is processed as a curved surface, in which the intersection of the curved surface with each of two perpendicular planes that contain the central axis of the core is an arc, each with a specified radius.

None of the references either singly or in combination teaches or suggest at least these features.

More particularly, the invention relates to forming curvature surfaces having different radiuses of curvature which intersect at right angles to one another. The anamorphic lens design illustrated in Figs. 8 and 9 of Modavis is significantly different from that of the present invention. Therein, Modavis discloses that the core of the fiber is formed in an ellipse, tapered edge and consists of two planes, and the tapered wedge is crossed at the center of the core forming one ridge line. Furthermore, Modavis goes on to disclose that the factor having a high coupling is the shape of the ellipsed core and the ridge line is aligned to

the major axis of the ellipsed core.

In order to cure the deficiencies of Modavis, the Examiner asserts that Modavis may be interpreted as disclosing, "an elliptically shaped anamorphic lens is formed having inclined surfaces that intersect in a wedge shape, and the tip is further formed into curved surfaces by grinding the surfaces non-linearly (curved) with respect to azimuthal angle  $\rho$ , equivalent to the tips formed, as recited in claims 1 and 3." (Office Action at 9.) However, the Examiner fails to show where these alleged teachings may be found in Modavis.

In contrast to these assertions, Modavis expressly discloses at col. 4, ll. 35-46, the following:

In the anamorphic lens design of FIGS. 5, 6 and 7, lens means 16 consists of a quasi cone-shaped lens wherein the cone angle changes from  $\theta_1$  to  $\theta_2$  as the azimuthal angle  $\rho$  changes from  $0^\circ$  to  $90^\circ$ . The cone angle changes back from  $\theta_2$  to  $\theta_1$  as the azimuthal angle  $\rho$  is changed from  $90^\circ$  to  $180^\circ$ . A similar cone angle change occurs at values of azimuthal angle  $\rho$  between  $180^\circ$  and  $360^\circ$ . The change in cone angle can be linear or non-linear with respect to the azimuthal angle. Lens 41 differs from typical cone-shaped rotationally symmetric fiber lenses wherein the cone angle  $\theta$  is the same for all azimuthal angles.

As shown from the foregoing, Modavis fails to teach or suggest that the "curved surface is a portion of an elliptical surface, and one major axis of the elliptical surface matches the central axis of the core" as required by claim 1. Also, Modavis fails to teach or suggest, "the curved surface with each of two perpendicular planes that contain the central axis of the core is an arc, each with a specified radius" as required by claim 3.

Moreover, as the Examiner fails to provide express teachings of the claim features in Modavis it appears the Examiner is relying upon official notice to meet these claims features. The Examiner may take official notice of facts outside of the record which are capable of instant and unquestionable demonstration as being "well-known" in the art. *In re Ahlert*, 424 F.2d 1088, 1091, 165 USPQ 418, 420 (CCPA 1970). As set forth in M.P.E.P. § 2144.03, if an applicant traverses an assertion made by an Examiner while taking official notice, the Examiner should cite a reference in support of their assertion. Applicants respectfully traverse all uses of official notice in the office action and request a reference be supplied to support the Examiner's assertions.

Claim 9 is allowable as it recites, *inter alia*,

the light beam that enters from a given light source forms an elliptical flat shape on the plane that is in contact with the tip of the optical fiber, the optical fiber is positioned by rotating the axis so that the central axis of the core matches the direction of travel of the centerline of the light beam, and a line tangent to the largest curvature in the core tip is perpendicular to the long direction of the elliptical flat shape.

None of the references either singly or in combination teach or suggest at least these features. Again, the Examiner admits Modavis fails to expressly teach the claim features, and relies upon an unsupported interpretation by stating, "the examiner has interpreted from Modavis (879) references above, that the elliptical shaped microlens 54 is first oriented with the shape of the laser beam to maximize their coupling efficiency, in a manner equivalent to the recited in claim 9." This alleged interpretation is simply unsupported by Modavis.

As there is no express teaching in Modavis for this interpretation it appears the Examiner is relying upon official notice. The Examiner may take official notice of facts outside of the record which are capable of instant and unquestionable demonstration as being "well-known" in the art. *In re Ahlert*, 424 F.2d 1088, 1091, 165 USPQ 418, 420 (CCPA 1970). As set forth in MPEP § 2144.03, if an applicant traverses an assertion made by an Examiner while taking official notice, the Examiner should cite a reference in support of their assertion. Applicants respectfully traverse all uses of official notice in the office action and request a reference be supplied to support the Examiner's assertions.

In contrast to the Examiner's assertions, Modavis discloses at col. 5, ll. 29-46:

FIG. 10 schematically illustrates a system for coupling light from laser diode 72 to circularly symmetric single-mode fiber 74. Source 72 emits a beam of light having an elliptical cross-section, the cross-section of the beam in a plane perpendicular to the beam axis being an ellipse having a major and a minor axis. The elliptical mode fiber (and thus the wedge-shaped microlens) is oriented with respect to the source such that light from source 72 is efficiently coupled to elliptical core fiber 51. Light propagating in elliptical mode fiber 73 can be efficiently coupled to circularly symmetric single-mode fiber 74. For example, light from fiber 51 can be adiabatically transferred to fiber 74 by employing low loss coupling means

75 such as a fusion splice formed by multiple arcing or by using a 1X1 multicladd coupler such as that disclosed in the publication K. P. Jedrzejewski et al. "Tapered-Beam Expander for Single-Mode Optical Fiber Gap Devices", Electronics Letters, 16th Jan. 1986, vol. 22, No. 2, pp. 105-106.


As shown from the foregoing, there is no teaching or suggestion of the recited features of claim 9. More particularly, Modavis discloses that the mode field shape is modified from ellipse to a circle in the ellipse fiber core to use a coupling, and introduces a standard circle fiber core by special melting splice. Clearly, the Modavis neither discloses nor remotely suggests that which is presently set forth in the method set forth in independent claim 9.

It is noted that the beam emitted from the laser diode is transmitted to the end surface of the fiber and it makes a significant difference as to whether or not the end surface of the fiber is flat or curved. It is known that the beam is transferred through a tilt angled border plane, refracted in subsequently condensed again, and an aberration is carried out on the condensed beam. If the diameter of the core is large and is focused in a numerical aperture (NA), the difference of coupling tilt angle is not carried out. However, if the diameter of the core is small such as two to three microns condensing with high coupling is not theatrically expected without a radius of curvature. That is, with previous devices it is in the range of the NA of the fiber effect carried out is substantially equal to the radius of curvature exists however, under extreme conditions, the effect of the present invention will be achieved.

For at least the foregoing reasons, it is respectfully submitted that Applicants' claimed invention as set forth in independent claims 1, 3 and 9 as well as those claims which depend therefrom clearly distinguish over the teachings of Modavis et al. and are proper condition for allowance.

While the present application is now believed to be in condition for allowance, should the Examiner find some issue to remain unresolved, or should any new issues arise which could be eliminated through discussions with Applicants' representative, then the Examiner is invited to contact the undersigned by telephone in order that the further prosecution of this application can thereby be expedited.

Respectfully submitted,



Donald R. Studebaker  
Reg. No. 32,815

Nixon Peabody LLP  
401 9<sup>th</sup> Street N.W.  
Suite 900  
Washington, D. C. 20004  
(202) 585-8000